



Retrofit




BENEITO FAURE
passion for led light



New

AR111 15° G53

AR111 15° GU10



Technical Information

Power	15W	15W
Color Temperature	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K
Lumens	1.350 lm / 1.400 lm / 1.500 lm	1.350 lm / 1.400 lm / 1.500 lm

Code	2.700K	5187	2.700K	5190
	3.000K	5188	3.000K	5191
	4.000K	5189	4.000K	5192


PF >0,5 | 12V AC/DC

PF >0,9 | 220/240 VAC




3 YEARS WARRANTY | 15.000 HOURS | IP 20 | CRI ≥80 | 15° | 50/60 Hz | +40°C / -20°C | 10/30

Nitro GU10



Dole GU10



Technical Information

Power	15W	15W
Color Temperature	2.700K	2.700K / 3.000K / 4.000K
Lumens	1.000 lm	1.050 lm / 1.100 lm / 1.120 lm
Code	3470	2.700K 3467 3.000K 3468 4.000K 3469






3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,9 | CRI ≥80 | 45° | 50/60 Hz | +40°C / -20°C | 10/30

Lynk G53

Lynk GU10

Lynk GU10 dimmable



Technical Information


Power	13W	13W	13W
Color Temperature	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K
Lumens	880 lm / 900 lm / 950 lm	880 lm / 900 lm / 950 lm	880 lm / 900 lm / 950 lm

Code	2.700K	3452	2.700K	3455	2.700K	3464
	3.000K	3453	3.000K	3456	3.000K	3465
	4.000K	3454	4.000K	3457	4.000K	3466


12V
AC/DC

220/240
VAC

220/240
VAC | TRIAC DIMM




3 YEARS WARRANTY | 25.000 HOURS | IP 40 | PF >0,9 | CRI ≥80 | 45° | 50/60 Hz | +40°C / -20°C | 10/30

 Max BA15d


 Technical Information

Power	7W
Color Temperature	2.700K
Lumens	500 lm
Code	3569




 3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 12V AC/DC | PF >0,5 | CRI ≥80 | 24° | 50/60 Hz | +40°C / -20°C | 6/30

Power MR16

Power GU10

Power GU10 dimmable




Technical Information

Power	12W	10W / 12W	12W
Color Temperature	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K
Lumens	900 lm / 950 lm / 1.000 lm	950 lm / 1.000 lm / 1.050 lm	950 lm / 1.000 lm / 1.050 lm
Code	2.700K 3441 3.000K 3442 4.000K 3443	12W 2.700K 3438 10W 3.000K 4295 10W 4.000K 4296	2.700K 3489 3.000K 3490 4.000K 3491
	12V AC/DC	220/240 VAC	220/240 VAC TRIAC DIMM



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | PF >0,9 | CRI ≥80 | 60° | 50/60 Hz | +40°C / -20°C | 10/50



Technical Information


Power	8W	8W	8W
Color Temperature	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K
Lumens	725 lm / 780 lm / 825 lm	725 lm / 780 lm / 825 lm	660 lm / 700 lm / 750 lm

Code	2.700K	3435-N	2.700K	3432-N	2.700K	3492-N
	3.000K	3436-N	3.000K	3433-N	3.000K	3493-N
	4.000K	3437-N	4.000K	3434-N	4.000K	3494-N

12V
AC/DC

220/240
VAC



220/240
VAC | TRIAC DIMM



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | PF >0,9 | CRI ≥80 | 60° | 50/60 Hz | +40°C / -20°C | 10/50

Hook GU10


Hook GU10 dimmable



Technical Information

Power	6W	6W
Color Temperature	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K
Lumens	570 lm / 594 lm / 616 lm	570 lm / 594 lm / 616 lm

Code	2.700K	4023	2.700K	3654-N
	3.000K	4024	3.000K	3655-N
	4.000K	4025	4.000K	3656-N






3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,9 | CRI ≥80 | 60° | 50/60 Hz | +40°C / -20°C | 10/50

Uniform-line MR16

Uniform-line GU10

Uniform-line GU10 dimmable



Technical Information


Power	6W	6W	6W
Color Temperature	2.700K/3.000K/4.000K/5.000K	2.700K/3.000K/4.000K/5.000K	2.700K / 3.000K / 4.000K
Lumens	480 lm/510 lm/545 lm/560 lm	480 lm/510 lm/545 lm/560 lm	490 lm / 500 lm / 530 lm

Code	2.700K	4019-V2	2.700K	4015-V2	2.700K	4227
	3.000K	4020-V2	3.000K	4016-V2	3.000K	4228
	4.000K	4021-V2	4.000K	4017-V2	4.000K	4229
	5.000K	4022-V2	5.000K	4018-V2		


12V
AC/DC

220/240
VAC

220/240
VAC | TRIAC DIMM




5 YEARS WARRANTY | 50.000 HOURS | IP 40 | PF >0,9 | CRI ≥80 | 120° | 50/60 Hz | +40°C / -20°C | 10/50

 Narrow GU10 dimmable


 Technical Information



Power	7W
Color Temperature	2.700K / 3.000K
Lumens	400 lm / 420 lm
Code	2.700K 4672
	3.000K 4671



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 15° | 50/60 Hz | TRIAC DIMM | +40°C / -20°C | 10/50

Tutto MR11

Tutto GU10




Technical Information

Power	4W	4W
Color Temperature	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K
Lumens	240 lm / 250 lm / 260 lm	285 lm / 300 lm / 315 lm

Code	2.700K	3447	2.700K	3444
	3.000K	3448	3.000K	3445
	4.000K	3449	4.000K	3446


12V
AC/DC

220/240
VAC




3 YEARS WARRANTY | 25.000 HOURS | IP 40 | PF >0,9 | CRI ≥80 | 60° | 50/60 Hz | +40°C / -20°C | 10/50




Adn G4



Technical Information

Power	2,5W
Color Temperature	3.000K
Lumens	198 lm
Code	130L006




3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 12V AC/DC | PF >0,6 | CRI ≥80 | 360°  | 50/60 Hz |  +40°C -20°C |  10/50

Uniform-line G4






Uniform-line long G4



Technical Information



Power	1,3W	1,6W
Color Temperature	3.000K / 5.000K	3.000K / 5.000K
Lumens	150 lm / 158 lm	203 lm / 223 lm
Code	3.000K 130L006-2 5.000K 130L006-2F	3.000K 130L195-C 5.000K 130L195-D



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 12V AC/DC | PF >0,5 | CRI ≥80 | 360°  | 50/60 Hz |  +40°C / -20°C |  10/50


Uniform-line G9




Uniform-line long G9



Technical Information



Power	2,5W	2,8W
Color Temperature	3.000K / 5.000K	3.000K / 5.000K
Lumens	242 lm / 250 lm	308 lm / 314 lm
Code	3.000K 130L184-5 5.000K 130L184-5F	3.000K 130L195-A 5.000K 130L195-B



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 360°  | 50/60 Hz |  +40°C / -20°C |  10/50


Shop E14




Prisma E14



Technical Information

Power	2W	4W
Color Temperature	3.000K	3.000K
Lumens	180 lm	340 lm
Code	3450	3474-M







3 YEARS WARRANTY | 25.000 HOURS | IP 44 | 220/240 VAC | PF >0,3 | CRI ≥80 | 360°  | 50/60 Hz |  +40°C / -20°C | 

 PL T40 E27


 Technical Information



Power	10W
Color Temperature	3.000K / 4.000K
Lumens	825 lm / 880 lm
Code	3.000K 582L016T40E-C3 4.000K 582L016T40E-F



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 360°  | 50/60 Hz |  +40°C / -20°C | 


Cala 9W G24

Cala 10W G24



Technical Information

Power	9W	10W
Color Temperature	3.000K / 4.000K	3.000K / 4.000K
Lumens	880 lm / 935 lm	1.100 lm / 1.155 lm
Code	3.000K 582L015-C3 4.000K 582L015-F4	3.000K 582L015-C3B 4.000K 582L015-F4B





3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 135° | 50/60 Hz | +40°C / -20°C | 10/50

HQI tubular RX7S

HQI tubular G12

HQI tubular E27



Technical Information

Power	13W	10W	10W
Color Temperature	3.000K / 4.000K	3.000K / 4.000K	3.000K / 4.000K
Lumens	1.320 lm / 1.375 lm	1.000 lm / 1.030 lm	1.000 lm / 1.030 lm
Code	3.000K 592063-TC 4.000K 592063-TF	3.000K 592063-G12/3 4.000K 592063-G12/4	3.000K 3570 4.000K 3571

6/30

10/50

10/50






3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 360° | 50/60 Hz | +40°C / -20°C

Lineal tubular 5W R7S

Lineal tubular 9W R7S

Lineal tubular 9W R7S
dimmable




Technical Information




Power	5W	9W	9W
Color Temperature	3.000K / 4.000K	3.000K / 4.000K	3.000K / 4.000K
Lumens	561 lm / 574 lm	935 lm / 1.000 lm	935 lm / 1.000 lm
Code	3.000K 140026-C3T 4.000K 140026-F4T	3.000K 141 123-TC3 4.000K 141 123-TF4	3.000K 141123-TC3D 4.000K 141123-TF4D

3 YEARS
WARRANTY


3 YEARS
WARRANTY

4 YEARS
WARRANTY | TRIAC DIMM




25.000 HOURS | IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 360°  | 50/60 Hz |  +40°C / -20°C | 


Lineal tubular 11W R7S dimmable



Lineal 13W R7S





Lineal 9W R7S



Technical Information


Power	11W	13W	9W
Color Temperature	3.000K / 4.000K	3.000K / 4.000K / 5.000K	3.000K / 4.000K
Lumens	1.210 lm / 1.280 lm	1.700 lm / 1.780 lm / 1.800	858 lm / 880 lm

Code	3.000K	3477	3.000K	3904	3.000K	140L026L
	4.000K	3478	4.000K	3905	4.000K	140L0261L
			5.000K	3906		




3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,9 | CRI ≥80 | 50/60 Hz | +40°C / -20°C | 6/30


Esférica 5W E14/E27



Esférica 5,5W E14/E27 dimmable



Esférica 7W E14/E27



Technical Information


Power	5W	5,5W	7W
Color Temperature	2.700K/3.000K/4.000K/5.000K	2.700K / 3.000K / 4.000K	2.700K/3.000K/4.000K/5.000K
Lumens	440 lm/462 lm/484 lm/495 lm	396 lm / 418 lm / 440 lm	700 lm/750 lm/800 lm/820 lm

Code	2.700K E14	592563-4C2(N)	2.700K E14	592563R-C2	2.700K E14	4243
	2.700K E27	5925631-4C2(N)	2.700K E27	592563R1-C2	2.700K E27	4244
	3.000K E14	592563(N)-4C(N2)	3.000K E14	592563R-C3	3.000K E14	4245
	3.000K E27	5925631(N)-4C(N2)	3.000K E27	592563R1-C3	3.000K E27	4246
	4.000K E14	592563(N)-4F(N2)	4.000K E14	592563R-F4	4.000K E14	4247
	4.000K E27	5925631(N)-4F(N2)	4.000K E27	592563R1-F4	4.000K E27	4248
	5.000K E14	3538(N)			5.000K E14	4249
	5.000K E27	3537(N)			5.000K E27	4250

5 YEARS WARRANTY | 50.000 HOURS | IP 40

3 YEARS WARRANTY | 25.000 HOURS | IP 40 | TRIAC DIMM



3 YEARS WARRANTY | 25.000 HOURS | IP 20



220/240 VAC | PF >0,9 | CRI ≥80 | 360° | 50/60 Hz | +40°C / -20°C | 10/50

Standard 6W E27




Standard 9W E27



Technical Information



Power	6W	9W
Color Temperature	2.700K / 3.000K / 4.000K	2.700K/3.000K/4.000K/5.000K
Lumens	534 lm / 550 lm / 660 lm	880 lm/891 lm/935 lm/945 lm
Code	2.700K 592125S-6(N) 3.000K 592125S-6C(N) 4.000K 592125S-6F(N)	2.700K 592125SC-2(N) 3.000K 592125SC-3(N) 4.000K 592125SC-4(N) 5.000K 3539(N)



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,9 | CRI ≥80 | 360°  | 50/60 Hz |  +40°C / -20°C | 

Standard 12W E27




Standard 15W E27




Technical Information

Power	12W	15W
Color Temperature	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K
Lumens	1.100 lm / 1.122 lm / 1.144 lm	1.550 lm / 1.600 lm / 1.650 lm
Code	2.700K 3479(N) 3.000K 3480(N) 4.000K 3481(N)	2.700K 3482(N) 3.000K 3483(N) 4.000K 3484(N)




3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,9 | CRI ≥80 | 360°  | 50/60 Hz |  +40°C / -20°C |  10/50


Standard 10W E27
dimmable



Standard 12W E27
dimmable



Standard 17W E27
dimmable



Technical Information

Power	10W	12W	17W
Color Temperature	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K	2.700K/3.000K/4.000K/5.000K
Lumens	880 lm / 891 lm / 935 lm	1.100 lm / 1.122 lm / 1.144 lm	1.550 lm / 1.600 lm / 1.650 lm / 1.700 lm
Code	2.700K 592125R-C 3.000K 592125R-C3 4.000K 592125R-F	2.700K 592125R2-C 3.000K 592125R2-C3 4.000K 592125R2-F	2.700K 3527 3.000K 3528 4.000K 3529 5.000K 3530






3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,9 | CRI ≥80 | 360° | 50/60 Hz | TRIAC DIMM | +40°C -20°C | 10/50

Micro globo 6W E27

Globo 10W E27

Globo 10W E27 dimmable



Technical Information


Power	6W	10W	10W
Color Temperature	2.700K / 3.000K	2.700K / 3.000K / 4.000K	3.000K
Lumens	480 lm / 500 lm	1.100 lm / 1.130 lm / 1.180 lm	800 lm

Code	2.700K	505143E-C	2.700K	3524	3.000K	505119DIM-C
	3.000K	3881	3.000K	3525		
			4.000K	3526		

5 YEARS WARRANTY | 50.000 HOURS

3 YEARS WARRANTY | 25.000 HOURS

3 YEARS WARRANTY | 25.000 HOURS | TRIAC DIMM






IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 360° | 50/60 Hz | +40°C / -20°C | 10/40

Globo 15W E27


Globo 16W E27

Globo 22W E27



Technical Information



Power	15W	16W	22W
Color Temperature	2.700K / 4.000K	2.700K / 3.000K / 4.000K	2.700K / 3.000K / 4.000K
Lumens	1.400 lm / 1.500 lm	1.600 lm / 1.700 lm / 1.750 lm	2.400 lm / 2.500 lm / 2.600 lm
Code	2.700K 4677 4.000K 4678	2.700K 3521 3.000K 3522 4.000K 3523	2.700K 3518 3.000K 3519 4.000K 3520



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,9 | CRI ≥80 | 360° | 50/60 Hz | +40°C / -20°C | 10/40


Flama E14/E27




Flama dimmable E14




Technical Information

Power	5,5W	5,5W
Color Temperature	2.700K / 3.000K / 5.000K	3.000K
Lumens	450 lm / 500 lm / 550 lm	418 lm
Code	2.700K E14 592122-FL2 2.700K E27 592122-FL2E 3.000K E14 592122-FL3 3.000K E27 592122-FLE3 5.000K E14 3534	3.000K 592122R-C3




3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 360°  | 50/60 Hz |  +40°C / -20°C |  10/50

R-63 s-line GU10




Technical Information

Power	8W
Color Temperature	2.700K
Lumens	720 lm
Code	4003




5 YEARS WARRANTY | 50.000 HOURS | IP 20 | 220/240 VAC | PF >0,8 | CRI ≥80 | 60° | 50/60 Hz | +40°C / -20°C | 10/50

R-39 E14 R-50 E14 R-63 E27






Technical Information

Power	3W	5W	8W
Color Temperature	3.000K	3.000K	3.000K
Lumens	308 lm	385 lm	660 lm
Code	592122R39-2	5920731-(N2)	592072-1
	IP 40	IP 40	IP 20



3 YEARS WARRANTY | 25.000 HOURS | 220/240 VAC | PF >0,8 | CRI ≥80 | 120° | 50/60 Hz | +40°C -20°C | 10/50

R-80 E27 R-90 2.200K E27 R-90 3.000K E27




Technical Information

Power	10W	12W	12W
Color Temperature	3.000K	2.200K	3.000K
Lumens	891 lm	850 lm	1.100 lm
Code	592076-C3(N)	4137	592074-C(N)




3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 120° | 50/60 Hz | +40°C / -20°C | 10/40

Par 30 E27 Par 38 3.000K E27 Par 38 Green E27




Technical Information

Power	10W	15W	15W
Color Temperature	3.000K	3.000K	Green
Lumens	660 lm	1.100 lm	190 lm
Code	171160P30-C	171160P38(N)-C	3579




3 YEARS WARRANTY | 25.000 HOURS | IP 65 | 220/240 VAC | PF >0,8 | CRI ≥80 | 50/60 Hz | +40°C -20°C | 10/40




Sil E27



Technical Information



Power	20W
Color Temperature	2.700K / 4.000K
Lumens	2.035 lm / 2.550 lm
Code	2.700K 592165SIL-C 4.000K 592165SIL-F



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,9 | CRI ≥85 | 360°  | 50/60 Hz |  +40°C / -20°C |  6/24


Aria 30W E27/E40

Aria 50W E27/E40




Technical Information

Power	30W	50W
Color Temperature	2.700K / 5.000K	2.700K / 5.000K
Lumens	3.100 lm / 3.550 lm	5.400 lm / 6.200 lm
Code	2.700K E27 3854 2.700K E40 3856 5.000K E27 3855 5.000K E40 3857	2.700K E27 3858 2.700K E40 3860 5.000K E27 3859 5.000K E40 3861



3 YEARS WARRANTY | 25.000 HOURS | IP 20 | 220/240 VAC | PF >0,9 | CRI ≥80 | 360° | 50/60 Hz | +40°C / -20°C | > 1KV | ENCLOSED NO | 6/24


Cup 45W E27/E40



 Technical Information

Power	45W
Color Temperature	3.000K
Lumens	3.960 lm



Code	3.000K E27 592141-C3E2
	3.000K E40 592141-E4C3



3 YEARS WARRANTY | 25.000 HOURS | IP 40 | 220/240 VAC | PF >0,8 | CRI ≥80 | 100° | 50/60 Hz | +40°C / -20°C | ENCLOSED NO | |

Obo 19W E27

Obo 27W E27



Technical Information



Power	19W	27W
Color Temperature	2.200K / 5.000K	2.200K / 5.000K
Lumens	1.425 lm / 1.900 lm	2.025 lm / 3.000 lm
Code	2.200K 3909 5.000K 3917	2.200K 3910 5.000K 3918



5 YEARS WARRANTY | 50.000 HOURS | IP 64 | 100/240 VAC | PF >0,9 | CRI ≥70 2.200K | CRI ≥80 5.000K | 170° | 50/60 Hz | +60°C -40°C | >4KV | ENCLOSED OK | 16

Obo 36W E27/E40

Obo 45W E27/E40




Technical Information

Power	36W	45W
Color Temperature	2.200K / 5.000K	2.200K / 5.000K
Lumens	2.700 lm / 3.900 lm	3.375 lm / 4.500 lm
Code	2.200K E27 3911 2.200K E40 3920 5.000K E27 3919 5.000K E40 3921	2.200K E27 3912 2.200K E40 3923 5.000K E27 3922 5.000K E40 3924



5 YEARS WARRANTY | 50.000 HOURS | IP 64 | 100/240 VAC | PF >0,9 | CRI ≥70 2.200K | CRI ≥80 5.000K | 170° | 50/60 Hz | +60°C -40°C | >4KV | ENCLOSED OK | 16










Smile 20W E27


Smile 40W E27

Smile 60W E40



Technical Information



Power	20W	40W	60W
Color Temperature	2.200K / 5.000K	2.200K / 5.000K	2.200K / 5.000K
Lumens	2.000 lm / 3.000 lm	4.000 lm / 6.000 lm	6.000 lm / 9.000 lm
Code	2.200K 3913	2.200K 3914	2.200K 3915
	5.000K 3925	5.000K 3926	5.000K 3927
	24	12	12



5 YEARS WARRANTY | 50.000 HOURS | IP 64 | 100/240 VAC | PF >0,9 | CRI ≥70 2.200K | CRI ≥80 5.000K | 120° | 50/60 Hz | +60°C / -40°C | >4KV | ENCLOSED OK


Noa 80W E27/E40

Noa 85W E27/E40



Technical Information

Power	80W	85W
Color Temperature	2.200K	2.700K / 5.000K
Lumens	5.900 lm	9.700 lm / 10.200 lm
Code	2.200K E27/ E40 3965	2.700K E27 3902 2.700K E40 3900 5.000K E27 3903 5.000K E40 3901



3 YEARS WARRANTY | 25.000 HOURS | IP 65 | 100/260 VAC | PF >0,9 | CRI ≥80 | 360° | 50/60 Hz | +40°C -20°C | ENCLOSED NO | 8